













- [4] P. M. Rautaharju, L. P. Park, B. R. Chaitman, F. Rautaharju, and Z. M. Zhang. The novacode criteria for classification of ecg abnormalities and their clinically significant progression and regression. *J Electrocardiol*, 31(3):157–187, Jul 1998.
- [5] H. Blackburn, A. Keys, E. Simonson, P. Rautaharju, and S. Punsar. The electrocardiogram in population studies. a classification system. *Circulation*, 21:1160–1175, Jun 1960.
- [6] P. W. Macfarlane and V. T. D. Lawrie. *Comprehensive Electrocardiology: Vols 1-3: Theory and Practice in Health and Disease*. McGraw Hill Higher Education, 1988.
- [7] Nitesh V. Chawla, Kevin W. Bowyer, Lawrence O. Hall, and W. Philip Kegelmeyer. SMOTE: Synthetic Minority Over-sampling Technique. *Journal of Artificial Intelligence Research*, 16:321–357, 2002.
- [8] W. Cohen. Fast effective rule induction. In *Proc. of the 12th Intl. Conf. on Machine Learning*, pages 115–123. Tahoe City, CA., 1995.
- [9] John Quinlan. *C4.5: Programs for machine learning*. Morgan Kaufmann, 1992.
- [10] Richard O. Duda, Peter E. Hart, and David G. Stork. *Pattern Classification (2nd Edition)*. Wiley-Interscience, November 2000.
- [11] Robert C. Holte. Very simple classification rules perform well on most commonly used datasets. *Machine Learning*, 11:63–91, 1993.
- [12] Haibo He and E. A. Garcia. Learning from imbalanced data. *IEEE Transactions on Knowledge and Data Engineering*, 21(9):1263–1284, September 2009.
- [13] Ian H. Witten and Eibe Frank. *Data Mining: Practical machine learning tools and techniques*. Morgan Kaufmann, San Francisco, 2005.
- [14] W. K. Haisty, O. Pahlm, N. B. Wagner, J. E. Pope, and G. S. Wagner. Performance of the automated complete selvester qrs scoring system in normal subjects and patients with single and multiple myocardial infarctions. *J Am Coll Cardiol*, 19(2):341–346, Feb 1992.
- [15] B. Milan Horacek, James W Warren, Alfred Albano, Michael A Palmeri, Judith C Rembert, Joseph C Greenfield, and Galen S Wagner. Development of an automated selvester scoring system for estimating the size of myocardial infarction from the electrocardiogram. *J Electrocardiol*, 39(2):162–168, Apr 2006.